


Figure 8

Subdivision BAL Plan STAGE 2



- | | |
|--------------------------|---|
| Subject Site | Asset Protection Zone |
| 100m Buffer | Required Bushfire Attack Levels (PBP 2019 Table A1.12.5) |
| 140m Buffer | |
| 1.8m radiant heat shield | BAL - FZ |
| Proposed lot | BAL - 40 |
| Basins | BAL - 29 |
| Roads | BAL - 19 |
| Stage boundary | BAL - 12.5 |

SOURCE:
Cadastral Boundary: NSW Department of Finance, Services and Innovation 2021
Aerial photo: Nearmap 09/01/2026



A3 Scale: 1:800

File: GilliestonHeights1B-Fig8-BALs-STAGE2-260325 Date: 25/03/2026

The information shown on this plan may be insufficient for some types of design. GEOVIEW should be consulted as to the suitability of the information shown herein prior to the commencement of any works based on this plan.

This map is not guaranteed to be free from error or omission. GEOVIEW hereby disclaims liability for any act done or omission made on the basis of the information in this plan, and any consequences of such acts or omissions.



| Lot Number | BAL Rating |
|------------|------------|
| 201 | BAL-19 |
| 202 | BAL-12.5 |
| 203 | BAL-12.5 |
| 204 | BAL-12.5 |
| 205 | BAL-LOW |
| 206 | BAL-LOW |
| 207 | BAL-LOW |
| 208 | BAL-LOW |
| 209 | BAL-LOW |
| 210 | BAL-LOW |
| 211 | BAL-LOW |
| 212 | BAL-LOW |
| 213 | BAL-12.5 |
| 214 | BAL-12.5 |
| 215 | BAL-12.5 |
| 216 | BAL-12.5 |
| 217 | BAL-12.5 |

Stage 2